2022 WATER QUALITY REPORT FOR OSCEOLA WATER WORKS

This report contains important information regarding the water quality in our water system. The source of our water is surface water. Our water quality testing shows the following results:

| CONTAMINANT | MCL - (MCLG) | С | ompliance | Date | Violation | Source |
|--|-------------------------|------|--|------------|-----------|---|
| | | Туре | Value & (Range) | | Yes/No | |
| Total Trihalomethanes (ppb) [TTHM] | 80 (N/A) | LRAA | 28.00 (19 - 42) | 01/12/2022 | No | By-products of drinking water chlorination |
| Total Haloacetic Acids (ppb) [HAA5] | 60 (N/A) | LRAA | 23.00 (11 - 40) | 01/12/2022 | No | By-products of drinking water disinfection |
| Copper (ppm) | AL=1.3 (1.3) | 90th | .12 (ND - 0.17) | 2021 | No | Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives |
| Lead (ppb) | AL=15 (0) | 90th | .002 (ND01) | 2021 | No | Corrosion of household plumbing systems; erosion of natural deposits |
| 950 - DISTRIBUTION S | SYSTEM | | | | | |
| Chlorine (ppm) | MRDL=4.0 (MRDLG=4.0) | RAA | 2.9 (2.11 - 3.7) | 12/31/2022 | No | Water additive used to control microbes |
| Total Coliform Bacteria | TT (TT) | RTCR | 2 sample(s) positive | 11/30/2022 | No | Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other waterborne pathogens may be present, or that a potential pathway exists through which contamination may enter the drinking water. |
| 01 - S/EP FROM WEST | LAKE | | · | | • | · · · · · · · · · · · · · · · · · · · |
| Sodium (ppm) | N/A (N/A) | SGL | 27 | 07/13/2022 | No | Erosion of natural deposits; Added to water during treatment process |
| Turbidity (NTU) | N/A (N/A) | TT | .34 100 percentage of samples meet turbidity limits | 8/1/22 | No | Soil runoff |
| Fluoride (ppm) | 4 (4) | SGL | .74 (.50 – 1.02) | 09/01/2022 | No | Water additive which promotes strong teeth; Erosion of natural deposits; Discharge from fertilizer and aluminum factories |
| Atrazine (ppb) | 3 (3) | SGL | <.001 | 01/05/2022 | No | Runoff from herbicide used on row crops |
| Nitrate [as N] (ppm) | 10 (10) | SGL | <0.125 | 2022 | No | Runoff from fertilizer use; Leaching from septic tanks, sewage; erosion of natural deposits |
| Total Organic Carbon TOC ppm | N/A | TT | 1.4 (1.05 – 1.86) | 2022 | No | Naturally present in the environment |

Note: Contaminants with dates indicate results from the most recent testing done in accordance with regulations.

DEFINITIONS

• Maximum Contaminant Level (MCL) – The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

- Maximum Contaminant Level Goal (MCLG) -- The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
- ppb -- parts per billion.
- ppm -- parts per million.
- pCi/L picocuries per liter
- N/A Not applicable
- ND -- Not detected
- RAA Running Annual Average
- Treatment Technique (TT) A required process intended to reduce the level of a contaminant in drinking water.
- Action Level (AL) The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
- Maximum Residual Disinfectant Level Goal (MRDLG) The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
- Maximum Residual Disinfectant Level (MRDL) The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
- SGL Single Sample Result
- RTCR Revised Total Coliform Rule
- NTU Nephelometric Turbidity Units

GENERAL INFORMATION

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water posed a health risk. More information about contaminants or potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. OSCEOLA WATER WORKS is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking water, testing methods and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

COLIFORM ASSESSMENT

During the past year we were required to conduct1 Level 1 assessment to determine the cause of bacteria in our distribution system. Corrective actions have been taken to address these issues. No heath concerns were identified.

A Level 1 Assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.

SOURCE WATER ASSESSMENT INFORMATION

This water supply obtains water from one or more surface waters. Surface water sources are susceptible to sources of contamination within the drainage basin.

| Surface Water Name | Susceptibility |
|--------------------|----------------|
| West Lake | high |

OTHER INFORMATION

Turbidity is an indicator of treatment filter performance and is regulated as a treatment technique.

CONTACT INFORMATION

For questions regarding this information or how you can get involved in decisions regarding the water system, please contact OSCEOLA WATER WORKS at 641-342-1435. Decisions are made at the water board meetings held on the 1st Thursday of each month at 5:30 p.m. The meetings are at the Water Works office located at 208 West Jefferson Street in Osceola and the public is encouraged to attend. You can receive a printed copy of this information at the Water Works office. Copies are also available online at osceolawaterworks.com